
USER MANUAL

71” Desktop



Scan QR code for installation video

support@yfs.life

yfs.life/aaa

Caution

- Keep children and animals away from the desk during use. Ensure the desktop is not touching any walls.
- Remove obstacles taller than 20 "/51 cm from underneath the desk.
- Operate only in a working environment temperature of 32 °F -104 °F / 0 °C - 40 °C.
- Keep product away from corrosive gases, liquids and dusty objects.
- Keep hands, feet and other body parts in a safe position during operation. Anti-collision is not automatically enabled when reset.
- The company does not bear any warranty or liability for damage and human injury caused by any abnormal or un-intended operation of the equipment.
- It is necessary to perform a manual reset after the initial installation or power cycling the equipment.

Customer Service

30-Day Easy Returns

If your purchase isn't the right fit, you can return it within the 30-day return window.


Reliable Warranty

2-Year Warranty for Motor & Electronics
5-Year Warranty for Desk Frame & Structural Components


24x7h Support

Simple email us at **support@yfs.life**.
Our support team typically responds within **24x7 hours**.


Pre-Installation Preparation




Complete through collaboration.



Assemble on a clean, flat, and protective surface.




Phillips screwdriver or drill required (not provided).




Allow an assembly area at least twice the desktop size.


PARTS LIST




Mx1



Nx2



Px1
Desk Mat



Ox4



1x4



2x4



3x4




4x16





5x1

EXPLODED VIEW DIAGRAM





1 The recommended screw torque for locking the desktop is **6-10 N·m**; please keep the screws perpendicular to the mounting surface during installation. This will result in a flatter desktop.







Tip: Use the box to assist installation.







2 **Note:** Please place the desktop on the carpet for installation to prevent scratching the desktop.







3 The recommended screw torque for locking the desktop is **6-10 N·m**; please keep the screws perpendicular to the mounting surface during installation. This will result in a flatter desktop.






4 The recommended screw torque for locking the desktop is **6-10 N·m**; please keep the screws perpendicular to the mounting surface during installation. This will result in a flatter desktop.






5




6





7


Place the **Desk Mat** on the desk for a better user experience.



8



You're amazing!
The installation is now complete.
Enjoy your Standing Desk!



Looking for help?

We’re Here For You!



support @yfs.life

For assembly assistance,You can send us emails.